

BR 47/35 Esc

Machine for basic and maintenance cleaning of escalators and travelators with a performance of 2-3 escalators/travelators per hour.

1 Excellent suction power

- The applied water is reliably sucked back into the machine by the two powerful suction turbines together with four straight suction hoses and matching combs.
- Prevents water from dripping into the escalator shaft.

2 Suitable for escalators

- Combs which enter the grooves in the escalator provide the necessary vacuum.
- Different combs are available to suit different types of escalators. This ensures that the moisture is effectively vacuumed from the escalator.

3 Excellent suction power

- The applied water is reliably sucked back into the machine by the two powerful suction turbines together with four straight suction hoses and matching combs.
- Prevents water from dripping into the escalator shaft.

4 Easy to stand up at the rear of the machine during operation

- For simple operation.

BR 47/35 Esc, 1.310-109.0, 2017-03-08

TECHNICAL DATA AND EQUIPMENT

KÄRCHER



BR 47/35 Esc

- Cleans escalators and travelators while they are running
- With standard washing brush and pick-up brush

Technical data

Order No.		1.310-109.0
EAN code		4039784470019
Working width	mm	470
Brush working width	mm	470
Vacuum working width	mm	470
Fresh/dirty water tank	l	35 / 35
Brush speed	rpm	870-1090
Brush motor power rating	W	1100
Suction motor	W	800
Sound pressure level	dB(A)	75
Voltage	V	220-240
Frequency	Hz	50-60
Weight	kg	90
Dimensions (L x W x H)	mm	1200 × 670 × 1100

Equipment

Cleaning brushes		■
Pickup brushes		■
Mains operation		■
Suction motor	W	800

■ **Included in delivery.**

ACCESSORIES FOR BR 47/35 ESC
1.310-109.0

KÄRCHER


1


2


3


4


5–6


7


9


12


15


17


21–24

		Order No.	Hardness/ Brush type	Colour	Quanti-ty		Price	Description	
Brushes									
Brushes standard	1	5.762-266.0	soft	white	1 piece(s)				■
Brushes, intake brushes	2	5.762-268.0		black	1 piece(s)				■
Brushes, hard	3	5.762-267.0	hard	black	1 piece(s)				□
Other									
Guid rail, standard	4	5.032-932.0			1 piece(s)				■
Groove rake	5	6.369-507.0			1 piece(s)				□
	6	6.369-508.0			1 piece(s)				□
Inlet/outlet combs									
Guide comb grey	7	6.369-509.0		grey	2 piece(s)				□
	8	6.369-519.0		grey	2 piece(s)				□
Guide comb black	9	6.369-510.0		black	2 piece(s)				□
	10	6.369-520.0		black	2 piece(s)				□
Guide comb green	11	6.369-511.0		green	2 piece(s)				□
	12	6.369-521.0		green	2 piece(s)				□
Guide comb white	13	6.369-512.0		white	2 piece(s)				□
	14	6.369-522.0		white	2 piece(s)				□
Inlet combs, blue	15	6.369-914.0		blue	2 piece(s)				□
Outlet combs, blue	16	6.369-915.0		blue	2 piece(s)				□
Inlet combs, yellow	17	6.371-272.0		yellow	2 piece(s)			Inlet combs for Thyssen-Krupp and Fujitec escalators.	□
Outlet combs, yellow	18	6.371-273.0		yellow	2 piece(s)			Outlet combs for Thyssen-Krupp and Fujitec escalators.	□
	19	6.371-321.0		orange	2 piece(s)				□
	20	6.371-322.0		orange	2 piece(s)				□
Hand pads									
Hand pads	21	6.369-513.0	medium	green	5 piece(s)				□
	22	6.369-514.0	medium	green	5 piece(s)				□
	23	6.369-515.0	medium	green	5 piece(s)				□
	24	6.369-516.0	medium	green	5 piece(s)				□

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR BR 47/35 ESC 1.310-109.0

KÄRCHER


1


2


3

		Order No.	Length	Colour	Quanti-ty		Price	Description	
Miscellaneous									
Extension cable	1	6.647-022.0	20 m		1 piece(s)			Extension cable, 20 m, 3x1.5 mm². With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	☐
Filling hose	2	6.389-524.0	1,5 m		1 piece(s)			Filling hose, 1500 mm. With universal funnel. Facilitates machine filling from a water tap.	☐
RM Dosierstation									
DS 3 cleaning agent dosing station	3	2.641-811.0			1 piece(s)			Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.	☐

■ Included in delivery. ☐ Available accessories.