

KM 75/40 W Bp

Battery powered walk-behind sweeper for medium sized outdoor areas

1



2



3



4



1 Waste container with trolley handle

- Waste container with recessed grips – easy to remove and empty.
- Short disposal times.

2 Efficient filter system with mechanical filter cleaning

- 1.8 m² filter area for long work intervals.
- Made of washable polyester for durability.

3 Easy to maintain

- Filter and roller brush easy to remove without tools for flexible maintenance.

4 EASY-Operation concept

- Clear and logical arrangement of all controls in the handle and field of view for ease of use.
- Standard symbols for all Kärcher sweepers.

KM 75/40 W Bp, 1.049-206.0, 2017-02-27

TECHNICAL DATA AND EQUIPMENT

KÄRCHER



KM 75/40 W Bp

- Waste container with trolley handle
- Roller brush replacement without tools
- Efficient filter cleaning system with clean filter replacement without tools

Technical data

Order No.		1.049-206.0
EAN code		4039784467538
Drive		DC motor
Drive power	**V / W**	24 / 400
Max. area performance	**m²/h**	3375
Working width	**mm**	550
Working width with 1 side brush	**mm**	750
Container	**l**	40
Climbing capacity	**%**	12
Working speed	**km/h**	4,5
Filter area	**m²**	1,8
Weight	**kg**	78
Dimensions (L x W x H)	**mm**	1430 × 780 × 1180

Equipment

Polyester flat pleated filter	■	**Side brushes, can be raised/adjustable**	■
Manual filter cleaning system	■		
Forward drive	■		
Adjustable main roller brush	■		
Mobile waste container	■		
Coarse dirt flap	■		
Fold-down push handle	■		
Overthrow system	■		
Vacuum	■		
Battery indicator	■		
Adjustable suction power	■		

■ **Included in delivery.**

KM 75/40 W Bp, 1.049-206.0, 2017-02-27

ACCESSORIES FOR KM 75/40 W BP 1.049-206.0

KÄRCHER


1


2


3


4


5

		Order No.	Installation ex works	Length / width	Diame-ter		Price	Description	
Flat pleated filter									
Filter cartridge without groove KM 75/40	1	5.731-635.0						Moisture-proof, washable flat pleated filter for Kärcher sweepers. Filter noticeably reduces maintenance costs.	■
Standard main roller brushes									
Reversing rolling mill standard	2	6.906-884.0		550 mm				Tough standard roller brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely dura-ble.	■
Main roller brush, soft/natural									
Reversing rolling mill soft	3	6.906-886.0		550 mm				Specially designed with natural bristles for sweeping fine dust on smooth floors indoors	□
Main roller brush, hard									
Reversing rolling mill hard	4	6.906-885.0		550 mm				Hard main roller brush for removing stubborn, adhering dirt outdoors.	□
Main roller brush, antistatic									
Reversing rolling mill antistatic	5	6.906-950.0		550 mm				For sweeping surfaces subject to static build up (e.g. carpets, artificial turf)	□

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR KM 75/40 W BP 1.049-206.0

KÄRCHER


1


2


3

		Order No.	Installation ex works	Length / width	Diame-ter		Price	Description	
Standard side brushes									
Side broom standard	1	6.906-132.0			420 mm			Moisture-proof universal bristles, longlife, suitable for all surfaces	■
Side brush, hard									
Side broom hard	2	6.905-625.0			420 mm			Removes stubborn dirt outdoors, moisture-proof, mildly abrasive	□
Side brush, soft									
Side broom soft	3	6.905-626.0			420 mm			Moisture-proof, soft side brush for sweeping fine dust on all surfaces indoors and outdoors. Ideal for dirt with a high dust content.	□

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR KM 75/40 W BP 1.049-206.0

KÄRCHER



		Order No.	Installation ex works				Price	Description	
Other mounting kits									
Add-on kit carpet sweep unit KM 75/40 W	1	2.641-571.0							☐
Add-on kit filter vibrator double	2	2.851-040.0							☐

■ Included in delivery. ☐ Available accessories.

ACCESSORIES FOR KM 75/40 W BP 1.049-206.0

KÄRCHER


1


2

		Order No.	Installation ex works	Battery voltage	Battery capacity	Battery type	Price	Description	
Traction batteries									
Battery	1	6.654-226.0		12 V	60 Ah	maintenance-free			☐
Chargers									
Charger	2	6.654-068.0		24 V		separate			☐

■ Included in delivery. ☐ Available accessories.