


# NT 40/1 Tact Te

Kärcher's NT 40/1 Tact Te is specially developed for use at construction sites. Featuring the tried and tested auto filter clean technology TACT and a larger, very robust container, this vacuum cleaner impresses with its compact dimensions, very high suction power and excellent filter cleaning. The ideal machine for fine dust and dirt. Stable guide rolls and the pushbar ensure stability and high mobility.

## 1 Robust bumper and chassis

- The robust bumper protects the vacuum cleaner from knocks and bumps.
- Robust metal steering rollers and large wheels make the machine completelysuitable for use on construction sites.

## 2 Ergonomic push handle

- The NT 40/1 features an ergonomic push handle and large wheels for easy transport.

NT 40/1 Tact Te, 1.184-865.0, 2017-01-18

# TECHNICAL DATA AND EQUIPMENT



## NT 40/1 Tact Te

- Autostart feature (for power tools)
- Anti-static Optional
- Ergonomic pushbar and stainless steel tubes

## Technical data

| | | |
|---|---|---|
| **Order No.** | | 1.184-865.0 |
| **EAN code** | | 4039784718425 |
| **Air flow** | **l/s** | 74 |
| **Vacuum** | **mbar / kPa** | 254 / 25,4 |
| **Container capacity** | **l** | 40 |
| **Max. rated input power** | **W** | 1380 |
| **Standard nominal width** | | 35 |
| **Sound pressure level** | **dB(A)** | 69 |
| **Container material** | | Plastic |
| **Quantity of motors** | | 1 |
| **Frequency** | **Hz** | 50-60 |
| **Voltage** | **V** | 220-240 |
| **Weight** | **kg** | 14,5 |
| **Dimensions (L x W x H)** | **mm** | 555 × 380 × 870 |

## Equipment

| | | | | |
|---|---|---|---|---|
| **Suction hose** | **m** | 4 | **Protection class** | I |
| **Filter bag** | | Fleece | **Castor with brake** | ■ |
| **Wet and dry floor tool** | **mm** | 300 | **Filter cleaning** | Tact filter cleaning |
| **Crevice nozzle** | | ■ | | |
| **Connector for electric tools** | | ■ | | |
| **Auto shutdown when max. level is reached** | | ■ | | |
| **Power tool autostart** | | ■ | | |
| **Anti-static Optional** | | ■ | | |
| **Eco filter system** | | ■ | | |
| **Flat pleated filter** | | Paper | | |
| **Bend** | | ■ | | |

■ **Included in delivery.**

NT 40/1 Tact Te, 1.184-865.0, 2017-01-18

# ACCESSORIES FOR NT 40/1 TACT TE
# 1.184-865.0

KÄRCHER


1


2


4


5


7


8


9


10


11


12

| | | Order No. | Anzahl | Dummy | Dummy | Dummy | Price | Description | |
|---|---|---|---|---|---|---|---|---|---|
| **Flat pleated filter (paper)** | | | | | | | | | |
| Flat filter only for replacement Kaerche | 1 | 6.904-367.0 | 1 piece(s) | | | | | | ■ |
| **Fleece filter bags (3 ply)** | | | | | | | | | |
| | 2 | 6.907-480.0 | 5 piece(s) | | | | | | ■ |
| Filter bag fleece 55L 5St. | 3 | 6.907-361.0 | 5 piece(s) | | | | | | □ |
| **Flat pleated filter (PES)** | | | | | | | | | |
| Flat pleated filter (PES) | 4 | 6.904-360.0 | 1 piece(s) | | | | | | □ |
| | 5 | 6.904-190.0 | 1 piece(s) | | | | | | □ |
| **Flachfaltenfilter (PTFE)** | | | | | | | | | |
| | 6 | 6.907-455.0 | 1 piece(s) | | | | | | □ |
| **Coarse filter for wet pickup** | | | | | | | | | |
| Coarse dirt filter for wet pick up | 7 | 6.904-287.0 | 1 piece(s) | | | | | | □ |
| **Membrane filter / fabric filter** | | | | | | | | | |
| Membrane filter/fabric filter | 8 | 6.904-212.0 | 1 piece(s) | | | | | | □ |
| **HEPA filter for dust class H** | | | | | | | | | |
| HEPA surface filter | 9 | 6.904-242.0 | 1 piece(s) | | | | | | □ |
| **Plastic sacks for dust-free disposal** | | | | | | | | | |
| Plastic sacks for dust-free disposal | 10 | 6.596-886.0 | 10 piece(s) | | | | | | □ |
| **Special filter bags, wet filter bags** | | | | | | | | | |
| Filter bag 5St. Kae. | 11 | 6.904-211.0 | 5 piece(s) | | | | | | □ |
| **Paper filter (2 ply)** | | | | | | | | | |
| Paper filter bags NT 561 Eco - 611 Eco + models x5 | 12 | 6.904-208.0 | 5 piece(s) | | | | | | □ |


■ Included in delivery. □ Available accessories.

# ACCESSORIES FOR NT 40/1 TACT TE
# 1.184-865.0

KÄRCHER


1, 3–4


2


5


6–7


8


9


10


11


12


13–15


16


17–18, 20


19

| | | Order No. | Quantity | ID | Length | Width | Price | Description | |
|---|---|---|---|---|---|---|---|---|---|
| **Plastic bend** | | | | | | | | | |
| Plastic bend | 1 | 5.031-718.0 | 1 piece(s) | ID 35 | | | | Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H). | ■ |
| | 2 | 5.031-939.0 | 1 piece(s) | ID 35 | | | | Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models. | □ |
| | 3 | 5.032-427.0 | 1 piece(s) | ID 40 | | | | Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners. | □ |
| | 4 | 5.031-904.0 | 1 piece(s) | ID 40 | | | | Plastic bend (DN 40) with C-40 clip system, suitable for all NT models. | □ |
| **Suction tubes stainless steel** | | | | | | | | | |
| Suction tube, DN 35 | 5 | 6.902-154.0 | 1 piece(s) | ID 35 | 0,5 m | | | | ■ |
| Suction tube, ID 40 | 6 | 6.902-081.0 | 1 piece(s) | ID 40 | 0,5 m | | | Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners. | □ |
| Suction tube | 7 | 6.906-531.0 | 1 piece(s) | ID 40 | 1 m | | | Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners. | □ |
| **Suction hoses complete (Clip-system)** | | | | | | | | | |
| Suction hose C DN35 | 8 | 4.440-626.0 | 1 piece(s) | ID 35 | 2,5 m | | | 2.5 m standard suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT 48/1. | ■ |
| Suction hose | 9 | 4.440-653.0 | 1 piece(s) | ID 35 | 2,5 m | | | 2.5 m electrically conductive suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without module. | □ |
| **Adapter for electric power tools, clip on, el.** | | | | | | | | | |
| Sleeve for tool C35EL | 10 | 5.453-042.0 | 1 piece(s) | ID 35 | | | | 3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners. | ■ |
| Power tool adapter C 35, electrically conductive | 11 | 5.453-048.0 | 1 piece(s) | ID 35 | | | | Inside Ø 25.4 mm, outside Ø 34.6 mm/ 38 mm, electrically conductive. Only NT vacuums. | □ |
| Connecting sleeve for electric tool C 35, el. | 12 | 5.453-049.0 | 1 piece(s) | ID 35 | | | | Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums. | □ |
| Power tool adapter C 35, electrically conductive | 13 | 5.453-050.0 | 1 piece(s) | ID 35 | | | | Inside Ø 27 mm, outside Ø 36.5 mm/38.8 mm, electrically conductive. Only NT vacuums. | □ |
| Connecting sleeve for electric tool C 35, el. | 14 | 5.453-051.0 | 1 piece(s) | ID 35 | | | | Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums. | □ |
| Connecting sleeve for electric tools C 35, el. | 15 | 5.453-052.0 | 1 piece(s) | ID 35 | | | | Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacuums. | □ |
| **Nozzle sets** | | | | | | | | | |
| Nozzles set DN35 | 16 | 2.860-116.0 | 1 piece(s) | ID 35 | | | | Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3) | □ |
| **Bend stainless** | | | | | | | | | |
| Bend, stainless steel ID 35 | 17 | 6.903-141.0 | 1 piece(s) | ID 35 | | | | Stainless steel and crooked, ID 35 | □ |
| Bend, stainless steel ID 40 | 18 | 6.902-079.0 | 1 piece(s) | ID 40 | | | | Stainless steel and crooked, ID 40 | □ |
| **Bend metal** | | | | | | | | | |
| Bend, DN 35, metal | 19 | 6.900-519.0 | 1 piece(s) | ID 35 | | | | Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.). | □ |
| Bend, DN 40, metal | 20 | 6.900-276.0 | 1 piece(s) | ID 40 | | | | Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.). | □ |

■ Included in delivery. □ Available accessories.

# ACCESSORIES FOR NT 40/1 TACT TE
# 1.184-865.0

KÄRCHER


21


22


23–25


26–27


28, 30


29, 31


33–34


37–38

| | | Order No. | Quantity | ID | Length | Width | Price | Description | |
|---|---|---|---|---|---|---|---|---|---|
| **All-purpose brushes** | | | | | | | | | |
| All-purpose brush | 21 | 6.903-863.0 | 1 piece(s) | ID 35 | 120 mm | | | Natural bristles (ox hair), bristle element 120 x 45 mm. | ☐ |
| **All-purpose nozzles (wet/dry)** | | | | | | | | | |
| Floor tool DN35 | 22 | 6.906-512.0 | 1 piece(s) | ID 35 | | 300 mm | | All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners. | ☐ |
| Floor tool DN40-370 | 23 | 6.903-018.0 | 1 piece(s) | ID 40 | | 370 mm | | All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners. | ☐ |
| Floor tool neutrally DN40 | 24 | 6.906-383.0 | 1 piece(s) | ID 40 | | 450 mm | | All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners. | ☐ |
| Floor tool neutrally DN35 | 25 | 6.906-384.0 | 1 piece(s) | ID 35 | | 370 mm | | All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners. | ☐ |
| Floor tool DN35 | 26 | 6.906-513.0 | 1 piece(s) | ID 35 | | 360 mm | | All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners. | ☐ |
| Floor tool DN40 | 27 | 6.906-554.0 | 1 piece(s) | ID 40 | | 360 mm | | All-purpose plastic nozzle (DN 40) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners. | ☐ |
| **Crevice nozzles** | | | | | | | | | |
| Crevice nozzle | 28 | 6.900-922.0 | 1 piece(s) | ID 35 | 500 mm | | | Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm. | ☐ |
| Crevice nozzle DN40 | 29 | 6.903-033.0 | 1 piece(s) | ID 40 | 290 mm | | | Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm. | ☐ |
| | 30 | 6.905-817.0 | 1 piece(s) | ID 40 | 400 mm | | | Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm. | ☐ |
| Crevice nozzle DN35 | 31 | 6.906-240.0 | 1 piece(s) | ID 35 | 250 mm | | | Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm. | ☐ |
| **Rubber tool** | | | | | | | | | |
| Rubber nozzle, ID 40 | 32 | 4.763-057.0 | 1 piece(s) | 40 | | | | Rubber. | ☐ |
| **Rubber suction tools, nose 45°** | | | | | | | | | |
| Rubber suction tools, nose 45° | 33 | 6.902-104.0 | 1 piece(s) | ID 35 | 220 mm | | | 45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. | ☐ |
| | 34 | 6.902-105.0 | 1 piece(s) | ID 40 | 220 mm | | | 45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. | ☐ |
| **Combi-nozzles (dry)** | | | | | | | | | |
| Combination floor tool (dry) | 35 | 6.906-511.0 | 1 piece(s) | ID 35 | | 270 mm | | Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection. | ☐ |
| Combi-nozzle (dry), DN 35 | 36 | 6.906-639.0 | 1 piece(s) | ID 35 | | 262 mm | | Plastic with stainless steel soleplate, switchable. Only CV and NT vacuum cleaners. | ☐ |
| **Pipe dusting nozzles** | | | | | | | | | |
| BRUSH | 37 | 6.903-035.0 | 1 piece(s) | ID 35 | | | | Plastic, pipe diameter 100 mm | ☐ |
| | 38 | 6.903-036.0 | 1 piece(s) | ID 35 | | | | Plastic, pipe diameter 200 mm | ☐ |

■ Included in delivery. ☐ Available accessories.

# ACCESSORIES FOR NT 40/1 TACT TE 1.184-865.0

KÄRCHER


39


40


41


42


44


46


47–50, 52–54


51


55


56

| | | Order No. | Quantity | ID | Length | Width | Price | Description | |
|---|---|---|---|---|---|---|---|---|---|
| **Suction brushes** | | | | | | | | | |
| Suction brush DN35 | 39 | 6.903-862.0 | 1 piece(s) | ID 35 | | 70 mm | | Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners. | ☐ |
| **Turbo nozzle** | | | | | | | | | |
| Upholstery nozzle TURBO | 40 | 2.860-113.0 | 1 piece(s) | ID 32 | | 160 mm | | Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve. | ☐ |
| Floor tool TURBO DN 35/32 | 41 | 2.860-114.0 | 1 piece(s) | ID 32 | | 270 mm | | Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve. | ☐ |
| **Suction tubes plastic** | | | | | | | | | |
| Suction tube, DN 35 | 42 | 6.900-384.0 | 1 piece(s) | ID 35 | 0,5 m | | | Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners. | ☐ |
| Suction tube, DN 61 | 43 | 6.900-224.0 | | | | | | Plastic | ☐ |
| **Suction tubes metal** | | | | | | | | | |
| Suction tube | 44 | 6.900-275.0 | 1 piece(s) | ID 40 | 0,5 m | | | Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose. | ☐ |
| **Extension tube, metal** | | | | | | | | | |
| Extension tube, metal, ID 35 | 45 | 6.904-276.0 | 1 piece(s) | 35 | 250 mm | | | Extension tube, ID 35, chrome-plated metal. For extending a suction tube from 0.5 m to 0.75 m length. | ☐ |
| **Repair kits** | | | | | | | | | |
| Repair set, C 35 | 46 | 2.639-682.0 | 1 piece(s) | ID 35 | | | | Repair set (C35) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system. | ☐ |
| **Suction hoses (Clip-system)** | | | | | | | | | |
| Suction hose | 47 | 6.906-241.0 | 1 piece(s) | 35 | 4 m | | | 4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end. | ☐ |
| | 48 | 6.906-275.0 | 1 piece(s) | 35 | 2,5 m | | | 2.5 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end. | ☐ |
| Suction hose (clip system), C 35, el. | 49 | 6.906-500.0 | 1 piece(s) | 35 | 4 m | | | 4 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end. | ☐ |
| Suction hose | 50 | 6.906-321.0 | 1 piece(s) | 40 | 4 m | | | 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter. | ☐ |
| | 51 | 6.906-714.0 | 1 piece(s) | 40 | 4 m | | | With bayonet and clip connection. | ☐ |
| | 52 | 6.906-546.0 | 1 piece(s) | 40 | 4 m | | | Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter. | ☐ |
| Suction hose (clip system), C 40, 10 m, el. | 53 | 6.906-877.0 | 1 piece(s) | 40 | 10 m | | | Suction hose with bayonet coupling, electrically conductive. | ☐ |
| Suction hose (clip system), C 35 | 54 | 6.906-242.0 | 1 piece(s) | C- 35 | 10 m | | | Electrically conductive, 10 m suction hose with bayonet and C 40 clip connection. Without bend and adapter. | ☐ |
| **Suction hoses (without connectors)** | | | | | | | | | |
| Suction hose, DN 32 and 35 (without connectors) | 55 | 6.389-838.0 | | 32 | 10 m | | | Standard (not T 201 with ESB 28). | ☐ |
| **Suction hoses complete** | | | | | | | | | |
| Suction hose complete, ID 35, 2,5m | 56 | 4.440-339.0 | 1 piece(s) | ID 35 | 2,5 m | | | Temperature-resistant to 120 °C. | ☐ |

■ Included in delivery. ☐ Available accessories.

# ACCESSORIES FOR NT 40/1 TACT TE
# 1.184-865.0

KÄRCHER


57–58


59


60



61


62–64


65–67


68, 70–72


69


73


74


75

| | | Order No. | Quantity | ID | Length | Width | Price | Description | |
|---|---|---|---|---|---|---|---|---|---|
| Suction hose, complete | 57 | 4.440-446.0 | 1 piece(s) | ID 27 | 3,5 m | | | Electrically non-conductive suction hose (3.5 m) with DN 27 adapter for power tools at accessory end and DN 27 bayonet at vacuum end. Connectors available on request. | ☐ |
| | 58 | 4.440-461.0 | 1 piece(s) | ID 27 | 7 m | | | Electrically non-conductive suction hose (7 m) with DN 27 power tool adapter at accessory end and DN 27 bayonet at vacuum end. Connectors available on request. | ☐ |
| **Connecting sleeves** | | | | | | | | | |
| Adapter, ID 32/35, with internal thread | 59 | 6.902-077.0 | 1 piece(s) | ID 32 | | | | Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35. | ☐ |
| Adapter, ID 40 with internal thread | 60 | 6.900-286.0 | 1 piece(s) | ID 40 | | | | Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors. | ☐ |
| Connecting sleeve, ID 61, with female thread | 61 | 6.902-078.0 | 1 piece(s) | ID 61 | | | | For connecting 2 suction hoses, thread on both sides | ☐ |
| **Extension hoses (Clip-system)** | | | | | | | | | |
| Extension hose, C 32, C 35 clip system | 62 | 6.906-237.0 | 1 piece(s) | ID 32 | 2,5 m | | | Electrically non-conductive standard extension hose for all C-32 and C-35 hoses with clip system. | ☐ |
| Extension hose, C 40 | 63 | 6.906-344.0 | 1 piece(s) | ID 40 | 2,5 m | | | 2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system. | ☐ |
| Extension hose C 32-, C 35-Clip-system, el. | 64 | 6.906-277.0 | 1 piece(s) | ID 32 | 2,5 m | | | for all C-32 and C-35 hoses, electrically conductive. | ☐ |
| **Connecting sleeve C-DN (clip on taper), EL (electroconductive)** | | | | | | | | | |
| C-DN 35 adapter | 65 | 5.407-112.0 | 1 piece(s) | ID 35 | | | | C 35 hose connector for DN 35 accessory, electrically conductive. | ☐ |
| C 40 adapter | 66 | 5.407-109.0 | 1 piece(s) | ID 40 | | | | Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners. | ☐ |
| C-DN 40 adapter | 67 | 5.407-111.0 | 1 piece(s) | ID 40 | | | | C 40 hose connector for DN 40 accessory, electrically conductive. | ☐ |
| **Adapter for electric power tools, screwable** | | | | | | | | | |
| Adapter for electric power tools, screwable, ID 35 | 68 | 2.639-129.0 | 1 piece(s) | ID 35 | | | | Adaptable three-step plastic sleeve for power tools. Designed to thread onto a DN 35 industrial suction hose. With fitting instructions. | ☐ |
| Power tool adapter, threaded, DN 35 | 69 | 5.453-016.0 | 1 piece(s) | ID 35 | | | | 3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose. | ☐ |
| | 70 | 5.453-026.0 | 1 piece(s) | ID 35 | | | | Inside Ø 28.6 mm, outside Ø 37.3/38.8 mm. | ☐ |
| | 71 | 6.902-059.0 | 1 piece(s) | ID 35 | | | | Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm. | ☐ |
| | 72 | 6.902-095.0 | 1 piece(s) | ID 35 | | | | 2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners. | ☐ |
| **Adapter (tube -> nozzle)** | | | | | | | | | |
| Adapter ID 35 - 40 (tube -> nozzle) | 73 | 6.902-084.0 | 1 piece(s) | ID 35 | | | | From DN 35 to DN 40: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners. | ☐ |
| **Reducing sleeves** | | | | | | | | | |
| Reducer | 74 | 5.407-108.0 | 1 piece(s) | ID 40 | | | | Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners. | ☐ |
| Sleeve C40 / C35 | 75 | 5.407-113.0 | 1 piece(s) | ID 40 | | | | Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system. | ☐ |

■ Included in delivery. ☐ Available accessories.

# ACCESSORIES FOR NT 40/1 TACT TE 1.184-865.0

KÄRCHER


76


77


78


79


80


81–82


83


84


85


86


87


88


89


90

| | | Order No. | Quantity | ID | Length | Width | Price | Description | |
|---|---|---|---|---|---|---|---|---|---|
| **Reducer (tube -> nozzle)** | | | | | | | | | |
| Reducer | 76 | 6.902-017.0 | 1 piece(s) | ID 40 | | | | Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone. | ☐ |
| Reducer from ID 35 to 32 | 77 | 6.902-072.0 | 1 piece(s) | ID 35 | | | | Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners. | ☐ |
| **Set reducing / extension sleeves** | | | | | | | | | |
| Set of reducers/adapter sleeves | 78 | 2.860-117.0 | 1 piece(s) | | | | | DN 40/35, DN 35/32 (tube -> nozzle), plastic. | ☐ |
| **Target group specific vacuum cleaner accessory sets** | | | | | | | | | |
| Universal kit for industrial and commercial use | 79 | 2.637-595.0 | | ID 35 | | | | Accessory kit for industrial and commercial use. | ☐ |
| Boiler cleaning kit | 80 | 2.638-852.0 | | ID 35 | | | | Accessory kit for vacuuming and cleaning boilers, oil stoves, etc. | ☐ |
| Building trade kit | 81 | 2.637-352.0 | | ID 40 | | | | Building and ancillary trade accessory kit. | ☐ |
| Professional cleaning kit ID 40 | 82 | 2.637-353.0 | | ID 40 | | | | Individual parts: Suction hose 4 m (4.440-263.0), bend, metal (6.900-276.0), suction tube 2 x 0.5 m, metal (6.900-275.0), grout nozzle (6.903-033.0), floor nozzle with rollers (6.903-051.0). | ☐ |
| Electrician's/ plumber's kit ID 35 | 83 | 2.639-483.0 | | 35 | | | | Individual parts: suction hose 0.45 m (6.906-213.0), connection for electric tools (6.902-095.0), stepped sleeve (5.453-037.0), cable clip 5-pack (5.332-440.0) | ☐ |
| Industry set | 84 | 2.637-355.0 | | ID 61 | | | | Target group-specific robust complete accessory set in DN 61 for vacuuming coarse dirt in industry, construction etc. | ☐ |
| Horse set | 85 | 2.637-248.0 | | ID 40 | | | | Target group-specific accessory kit for horse and pony breeders or owners | ☐ |
| NT vacuum cleaner kit, DN 40, el. | 86 | 2.638-147.0 | | ID 40 | | | | Wet and dry vacuum cleaner kit, electrically conductive, DN 40. | ☐ |
| Sanding accessories kit, electrically conductive | 87 | 2.862-167.0 | | ID 27 | | | | Target group-specific expansion kit in DN 27 for the vacuuming of fine dust when using, for example, a power tool with integrated suction. | ☐ |
| **UBS non-conductive media** | | | | | | | | | |
| ABS non-conductive media | 88 | 2.641-560.0 | 1 piece(s) | | | | | For switching off when vacuuming non-conductive fluids such as oils and greases. | ☐ |
| **Car cleaning nozzles** | | | | | | | | | |
| Car nozzle DN35 | 89 | 6.906-108.0 | 1 piece(s) | ID 35 | | 90 mm | | Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners. | ☐ |
| **Sonstiges** | | | | | | | | | |
| Drilling dust tool | 90 | 2.679-000.0 | 1 piece(s) | | | | | | ☐ |
| CS 40 Me | 91 | 2.863-026.0 | 1 piece(s) | | | | | | ☐ |

■ Included in delivery. ☐ Available accessories.

# ACCESSORIES FOR NT 40/1 TACT TE
# 1.184-865.0

KÄRCHER



1

| | | Order No. | Length | Colour | Quantity | | Price | Description | |
|---|---|---|---|---|---|---|---|---|---|
| **Miscellaneous** | | | | | | | | | |
| Extension cable | 1 | 6.647-022.0 | 20 m | | 1 piece(s) | | | Extension cable, 20 m, 3x1.5 mm². With splash-proof earthing pin plug, strain relief and anti-kink sleeve. | ☐ |

■ Included in delivery. ☐ Available accessories.

# ACCESSORIES FOR NT 40/1 TACT TE
# 1.184-865.0

KÄRCHER



1

| | | Order No. | Quantity | ID | Length / width | | Price | Description | |
|---|---|---|---|---|---|---|---|---|---|
| **Other nozzles** | | | | | | | | | |
| 45º rubber suction nozzle | 1 | 6.902-106.0 | 1 piece(s) | ID 61 | 220 mm | | | Angled 45°, for suction of machines, oil-resistant | ☐ |

■ Included in delivery. ☐ Available accessories.

# ACCESSORIES FOR NT 40/1 TACT TE
# 1.184-865.0

KÄRCHER

| | | Order No. | | | | | Price | Description | |
|---|---|---|---|---|---|---|---|---|---|
| **Suction tubes** | | | | | | | | | |
| | 1 | 6.900-274.0 | | | | | | metal | ☐ |

■ Included in delivery. ☐ Available accessories.