

NT 65/2 Tact²

The Kärcher Tact² systems are ever popular as specialist systems and as all-rounders thanks to their high level of mobility and excellent performance, their solid construction and their wide range of practical design features. The NT 65/2 Tact² is supplied with the entire antistatic package as standard. The system tackles even large amounts of fine dust.

1 Easy transport

- Adjustable push handle and large wheels make transport easy even on uneven surfaces.

2 Smart accessory storage

- For example, the floor tool can be quickly fixed any way round.

3 Automatic Filter Cleaning System Tact²

- This new divided flat pleated filter is cleaned by air blasts and can be removed from the clean side.
- Fine dusts cannot block the filter. A constant high air flow is maintained.

4 Practical storage

- On-board practical storage for tools, small items and bottles.

NT 65/2 Tact², 1.667-286.0, 2017-01-18

TECHNICAL DATA AND EQUIPMENT

KÄRCHER



NT 65/2 Tact²

- Automatic Filter Cleaning System Tact²
- Antistatic Optional
- Adjustable push handle

Technical data

Order No.		1.667-286.0
EAN code		4039784714953
Air flow	**l/s**	2 x 74
Vacuum	**mbar / kPa**	254 / 25,4
Container capacity	**l**	65
Max. rated input power	**W**	max. 2760
Standard nominal width		40
Cable length	**m**	10
Sound pressure level	**dB(A)**	73
Container material		Plastic
Quantity of motors		2
Frequency	**Hz**	50–60
Voltage	**V**	220–240
Weight	**kg**	26,5
Dimensions (L x W x H)	**mm**	575 × 490 × 880

Equipment

Suction hose	**m**	4	**Sturdy bumper**		■
Metal suction tube, 2 x 0.5 m		■	**Push handle**		■
Filter bag		Paper	**Protection class**		I
Wet and dry floor tool	**mm**	360	**Castor with brake**		■
Crevice nozzle		■	**Filter cleaning**		Tact filter cleaning
Drain hose (oil-resistant)		■	**Maintenance-free suction turbines**	**piece(s)**	2
Auto shutdown when max. level is reached		■			
Antistatic Optional		■			
Eco filter system		■			
Flat pleated filter		Paper			
Bend		■			

■ **Included in delivery.**

NT 65/2 Tact², 1.667-286.0, 2017-01-18

ACCESSORIES FOR NT 65/2 TACT²
1.667-286.0

KÄRCHER


1



2


3–4


5


6


7


8

		Order No.	Anzahl	Dummy	Dummy	Dummy	Price	Description	
Flat pleated filter (paper)									
Flat pleated filter (paper)	1	6.907-276.0	1 piece(s)						■
Paper filter (2 ply)									
Filter bags 5St. -NT 65/2 ECO	2	6.904-285.0	5 piece(s)						■
Flat pleated filter (PES)									
Flat pleated filter (PES)	3	6.907-277.0	1 piece(s)						□
Flachfaltenfilter (PTFE)									
	4	6.907-449.0	1 piece(s)						□
Membrane filter / fabric filter									
Membrane filter / fabric filter	5	6.904-282.0	1 piece(s)						□
HEPA filter for dust class H									
HEPA surface filter	6	6.904-364.0	1 piece(s)						□
Plastic sacks for dust-free disposal									
Plastic sacks for dust-free disposal	7	6.900-698.0	10 piece(s)						□
Special filter bags, wet filter bags									
Special filter bags, wet filter bags	8	6.904-252.0	5 piece(s)						□

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 65/2 TACT²
1.667-286.0

KÄRCHER


1–2


3


4, 8


5–7


9–10


11–12


13–14


15

		Order No.	Quantity	ID	Length	Width	Price	Description	
Plastic bend									
Plastic bend	1	5.032-427.0	1 piece(s)	ID 40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	■
	2	5.031-718.0	1 piece(s)	ID 35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	□
	3	5.031-939.0	1 piece(s)	ID 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	□
All-purpose nozzles (wet/dry)									
Floor tool DN40	4	6.906-554.0	1 piece(s)	ID 40		360 mm		All-purpose plastic nozzle (DN 40) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	■
Floor tool DN40-370	5	6.903-018.0	1 piece(s)	ID 40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN40	6	6.906-383.0	1 piece(s)	ID 40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN35	7	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Floor tool DN35	8	6.906-513.0	1 piece(s)	ID 35		360 mm		All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	□
Crevice nozzles									
Crevice nozzle DN40	9	6.903-033.0	1 piece(s)	ID 40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	■
Crevice nozzle DN35	10	6.900-385.0	1 piece(s)	ID 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	□
Crevice nozzle	11	6.900-922.0	1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	□
Crevice nozzle DN40	12	6.905-817.0	1 piece(s)	ID 40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	□
Suction tubes metal									
Suction tube	13	6.900-275.0	1 piece(s)	ID 40	0,5 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.	■
Suction tube DN35	14	6.900-514.0	1 piece(s)	ID 35	0,5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	□
Suction hoses (Clip-system)									
Suction hose	15	6.906-546.0	1 piece(s)	40	4 m			Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	■
Suction hose (clip system), C 40, 10 m	16	6.906-279.0	1 piece(s)	40	10 m			10 m standard suction hose without bend and adapter. With bayonet at vacuum end and C 40 clip connection at accessory end.	□

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 65/2 TACT²
1.667-286.0

KÄRCHER


17, 19–20


18


21–22, 24


23


25


26


28–29


30


31–32


33–34


35


38

		Order No.	Quantity	ID	Length	Width	Price	Description	
Suction hose	17	6.906-321.0	1 piece(s)	40	4 m			4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	□
	18	6.906-714.0	1 piece(s)	40	4 m			With bayonet and clip connection.	□
Suction hose (Clip-system), C 40, 16 m	19	6.906-635.0	1 piece(s)	40	16 m				□
Suction hose (clip system), C 40, 10 m, el.	20	6.906-877.0	1 piece(s)	40	10 m			Suction hose with bayonet coupling, electrically conductive.	□
Bend stainless									
Bend, stainless steel ID 35	21	6.903-141.0	1 piece(s)	ID 35				Stainless steel and crooked, ID 35	□
Bend, stainless steel ID 40	22	6.902-079.0	1 piece(s)	ID 40				Stainless steel and crooked, ID 40	□
Bend metal									
Bend, DN 35, metal	23	6.900-519.0	1 piece(s)	ID 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).	□
Bend, DN 40, metal	24	6.900-276.0	1 piece(s)	ID 40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.).	□
All-purpose brushes									
All-purpose brush	25	6.903-863.0	1 piece(s)	ID 35	120 mm			Natural bristles (ox hair), bristle element 120 x 45 mm.	□
Car cleaning nozzles									
Car nozzle	26	6.900-952.0	1 piece(s)	ID 40		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	□
Rubber tool									
Rubber nozzle, ID 40	27	4.763-057.0	1 piece(s)	40				Rubber.	□
Rubber suction tools, nose 45°									
Rubber suction tools, nose 45°	28	6.902-104.0	1 piece(s)	ID 35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	□
	29	6.902-105.0	1 piece(s)	ID 40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	□
Radiator brushes									
Brush heating element	30	6.903-034.0	1 piece(s)	ID 35				Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0.	□
Pipe dusting nozzles									
BRUSH	31	6.903-035.0	1 piece(s)	ID 35				Plastic, pipe diameter 100 mm	□
	32	6.903-036.0	1 piece(s)	ID 35				Plastic, pipe diameter 200 mm	□
Suction tubes stainless steel									
Suction tube, ID 40	33	6.902-081.0	1 piece(s)	ID 40	0,5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	□
Suction tube	34	6.906-531.0	1 piece(s)	ID 40	1 m			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	□
Suction tube, DN 35	35	6.902-154.0	1 piece(s)	ID 35	0,5 m				□
Suction tubes plastic									
Suction tube, DN 61	36	6.900-224.0						Plastic	□
Extension tube, metal									
Extension tube, metal, ID 35	37	6.904-276.0	1 piece(s)	35	250 mm			Extension tube, ID 35, chrome-plated metal. For extending a suction tube from 0.5 m to 0.75 m length.	□
Repair kits									
Repair set, C 40	38	2.639-873.0	1 piece(s)	ID 40				Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	□

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 65/2 TACT²
1.667-286.0

KÄRCHER


39


40


41


42


43


44–45


46


47, 49–50


48


51


52


53


54–55


56

		Order No.	Quantity	ID	Length	Width	Price	Description	
Repair kit, DN 61	39	2.862-038.0	1 piece(s)	ID 61				Suction hose repair kit. Optional for all NT 65/2 and 72/2, NT 993 I, NT 802 I.	☐
Suction hoses (without connectors)									
Suction hose, DN 32 and 35 (without connectors)	40	6.389-838.0		32	10 m			Standard (not T 201 with ESB 28).	☐
Suction hoses complete									
Suction hose, complete	41	4.440-264.0	1 piece(s)	ID 61	4 m			4-m standard suction hose with DN 61 bayonet connector at the device end and DN 61 tapered connector at the accessory end.	☐
	42	4.440-328.0	1 piece(s)	ID 61	3 m			Industrial hose, PVC/elastomer with steel spiral, smooth inside	☐
Suction hose, complete, ID 61, 10 m	43	4.440-467.0	1 piece(s)	ID 61	10 m			10-m standard suction hose with DN 61 bayonet connector at the device end and DN 61 tapered connector at the accessory end.	☐
Suction hose, complete, DN 61, 4 m, oil-resistant	44	4.440-613.0	1 piece(s)	ID 61	4 m			Oil-resistant.	☐
Suction hose, complete, DN 61, 10 m, oil-resistant	45	4.440-614.0	1 piece(s)	ID 61	10 m				☐
Suction hose complete, ID 61, 4 m, el.	46	4.440-616.0	1 piece(s)	ID 61	4 m			Electrically conductive.	☐
Suction hose, complete	47	4.440-263.0	1 piece(s)	ID 40	4 m			Electrically non-conductive 4.0m standard suction hose with bayonett at vacuum end and DN 40 cone at accessory end.	☐
	48	4.440-303.0	1 piece(s)	ID 40	4 m			Oil-resistant	☐
	49	4.440-463.0	1 piece(s)	ID 40	10 m			Electrically non-conductive 10.0m standard suction hose with bayonett at vacuum end and DN 40 cone at accessory end.	☐
Suction hose complete	50	4.440-466.0	1 piece(s)	ID 40	10 m			Electrically conductive, 10.0m, ID 40	☐
Suction hose, complete, DN 40, 10 m, oil-resistant	51	4.440-612.0	1 piece(s)	ID 40	10 m			Oil-resistant.	☐
Suction hoses complete (Clip-system)									
Suction hose	52	4.440-678.0	1 piece(s)	ID 40	4 m			4 m electrically non-conductive suction hose with bend, bayonet at vacuum end and C 40 clip connection at accessory end. Without module.	☐
Suction hose, complete (clip system), C DN-40, + PFC module, electrically conductive	53	4.440-728.0	1 piece(s)	ID 40	4 m			With bend and module (4.060-533.0), electrically conductive.	☐
Connecting sleeves									
Connecting sleeve, ID 27, el.	54	4.453-006.0	1 piece(s)	ID 27				For connecting 2 suction hoses, thread on both sides, electrically conducitve.	☐
Adapter, ID 32/35, with internal thread	55	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	☐
Adapter, ID 40 with internal thread	56	6.900-286.0	1 piece(s)	ID 40				Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.	☐
Connecting sleeve, ID 61, with female thread	57	6.902-078.0	1 piece(s)	ID 61				For connecting 2 suction hoses, thread on both sides	☐
Extension hoses (Clip-system)									
Extension hose, C 40	58	6.906-344.0	1 piece(s)	ID 40	2,5 m			2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system.	☐

■ Included in delivery. ☐ Available accessories.

ACCESSORIES FOR NT 65/2 TACT²
1.667-286.0

KÄRCHER


59


60


61


62


63


64


65–67


68



69


70


71–73


74, 76–78


75


79

		Order No.	Quantity	ID	Length	Width	Price	Description	
Sonstiges									
Pre-separator	59	3.864-010.0	1 piece(s)						☐
Drum separator	60	3.864-012.0	1 piece(s)						☐
Lid for separator	61	4.063-132.0	1 piece(s)						☐
Adapter ring for 200 l drum	62	6.902-051.0	1 piece(s)						☐
CS 40 Me	63	2.863-026.0	1 piece(s)						☐
Y-adapter kit									
Y-adapter kit	64	2.637-217.0	1 piece(s)	ID 35				Plastic distributor - suitable for NT vacuum cleaners.	☐
Connecting sleeve C-DN (clip on taper), EL (electroconductive)									
C-DN 35 adapter	65	5.407-112.0	1 piece(s)	ID 35				C 35 hose connector for DN 35 accessory, electrically conductive.	☐
C 40 adapter	66	5.407-109.0	1 piece(s)	ID 40				Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.	☐
C-DN 40 adapter	67	5.407-111.0	1 piece(s)	ID 40				C 40 hose connector for DN 40 accessory, electrically conductive.	☐
Adapter for electric power tools, clip on, el.									
Sleeve for tool C35EL	68	5.453-042.0	1 piece(s)	ID 35				3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.	☐
Power tool adapter C 35, electrically conductive	69	5.453-048.0	1 piece(s)	ID 35				Inside Ø 25.4 mm, outside Ø 34.6 mm/ 38 mm, electrically conductive. Only NT vacuums.	☐
Connecting sleeve for electric tool C 35, el.	70	5.453-049.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums.	☐
Power tool adapter C 35, electrically conductive	71	5.453-050.0	1 piece(s)	ID 35				Inside Ø 27 mm, outside Ø 36.5 mm/38.8 mm, electrically conductive. Only NT vacuums.	☐
Connecting sleeve for electric tool C 35, el.	72	5.453-051.0	1 piece(s)	ID 35				Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.	☐
Connecting sleeve for electric tools C 35, el.	73	5.453-052.0	1 piece(s)	ID 35				Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacuums.	☐
Adapter for electric power tools, screwable									
Adapter for electric power tools, screwable, ID 35	74	2.639-129.0	1 piece(s)	ID 35				Adaptable three-step plastic sleeve for power tools. Designed to thread onto a DN 35 industrial suction hose. With fitting instructions.	☐
Power tool adapter, threaded, DN 35	75	5.453-016.0	1 piece(s)	ID 35				3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	☐
	76	5.453-026.0	1 piece(s)	ID 35				Inside Ø 28.6 mm, outside Ø 37.3/38.8 mm.	☐
	77	6.902-059.0	1 piece(s)	ID 35				Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm.	☐
	78	6.902-095.0	1 piece(s)	ID 35				2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.	☐
Adapter (tube -> nozzle)									
Adapter	79	5.453-019.0	1 piece(s)	ID 40				From DN 40 to DN 61: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.	☐
Reducing sleeves									
Reducer	80	5.407-108.0	1 piece(s)	ID 40				Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.	☐
Sleeve C40 / C35	81	5.407-113.0	1 piece(s)	ID 40				Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.	☐

■ Included in delivery. ☐ Available accessories.

ACCESSORIES FOR NT 65/2 TACT²
1.667-286.0

KÄRCHER


82


83


84


85


86

		Order No.	Quantity	ID	Length	Width	Price	Description	
Reducer (tube -> nozzle)									
Reducer	82	6.902-017.0	1 piece(s)	ID 40				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	☐
Reducer from ID 35 to 32	83	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	☐
Set reducing / extension sleeves									
Set of reducers/adapter sleeves	84	2.860-117.0	1 piece(s)					DN 40/35, DN 35/32 (tube -> nozzle), plastic.	☐
Target group specific vacuum cleaner accessory sets									
Car cleaning kit	85	2.862-166.0		ID 35				Target group-specific accessory nozzles in DN 35 for interior cleaning of vehicles, upholstery & fixtures.	☐
NT vacuum cleaner kit, DN 40, el.	86	2.638-147.0		ID 40				Wet and dry vacuum cleaner kit, electrically conductive, DN 40.	☐
UBS non-conductive media									
	87	2.642-602.0	1 piece(s)						☐

■ Included in delivery. ☐ Available accessories.

ACCESSORIES FOR NT 65/2 TACT²
1.667-286.0

KÄRCHER



1

		Order No.	Length	Colour	Quantity		Price	Description	
Miscellaneous									
Extension cable	1	6.647-022.0	20 m		1 piece(s)			Extension cable, 20 m, 3x1.5 mm². With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	☐

■ Included in delivery. ☐ Available accessories.

ACCESSORIES FOR NT 65/2 TACT²
1.667-286.0

KÄRCHER


1


2


3


4


5


6


7


8

		Order No.	Quantity	ID	Length / width		Price	Description	
Floor nozzles									
Floor nozzle cpl. 500 mm	1	4.130-413.0	1 piece(s)	ID 61	500 mm			Aluminium, oil-proof, 500 mm, with hight-adjustable rollers, strips (6.903-067.0) and rubber lips (6.906-168.1)	☐
Other nozzles									
45° rubber suction nozzle	2	6.902-106.0	1 piece(s)	ID 61	220 mm			Angled 45°, for suction of machines, oil-resistant	☐
Metal scratcher and scraper nozzle	3	6.903-360.0	1 piece(s)	ID 61	104 mm			Scratcher and scraper tool DN 61, sheet metal, 117 mm	☐
Aluminium surface nozzle	4	4.130-415.0	1 piece(s)	ID 61	200 mm			Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper	☐
Crevice tools									
Grout nozzle, synthetic	5	6.900-222.0	1 piece(s)	ID 61	370 × 64 mm			Grout nozzle, plastic, 370 mm	☐
Grout nozzle, stainless steel	6	6.900-926.0	1 piece(s)	ID 61	370 × 90 mm			Grout nozzle, stainless steel, 400 mm	☐
Adapter									
Vacuum cleaner connection DN61 auf DN52	7	6.902-002.0	1 piece(s)	ID 52					☐
Suction container									
Chip sieve	8	5.731-645.0	1 piece(s)					Plastic, perforates with internal thread. Protection of the drain hose from rough splinters, chips etc.	☐

■ Included in delivery. ☐ Available accessories.

ACCESSORIES FOR NT 65/2 TACT²
1.667-286.0

KÄRCHER

		Order No.					Price	Description	
Suction hoses									
	1	2.639-905.0						Repair kit for all C-40 and ID 40 hoses	☐
	2	6.389-839.0						(without connectors)	☐

■ Included in delivery. ☐ Available accessories.