

NT 70/2

Powerful wet/dry vacuum cleaner with 70 l container capacity and up to three motors.

1 On-board accessory storage

- Large bumper with accessory storage.

2 Integrated drain hose

- The container is easy to empty via the drain hose, a clear advantage given its large 70 l tank.

3 Ergonomic push handle

- The NT 70 has an ergonomic push handle for greater manoeuvrability.

4 Robust bumper

- The robust bumper protects the vacuum cleaner from knocks and bumps.

NT 70/2, 1.667-269.0, 2017-01-18

TECHNICAL DATA AND EQUIPMENT

KÄRCHER



NT 70/2

- Robust bumper, large wheels
- Ergonomic push handle
- Optional wet filter available

Technical data

Order No.		1.667-269.0
EAN code		4039784725379
Air flow	**l/s**	2 x 56
Vacuum	**mbar / kPa**	208 / 20,8
Container capacity	**l**	70
Max. rated input power	**W**	2400
Standard nominal width		40
Cable length	**m**	10
Sound pressure level	**dB(A)**	75
Container material		Plastic
Quantity of motors		2
Frequency	**Hz**	50–60
Voltage	**V**	220–240
Weight	**kg**	24,9
Dimensions (L x W x H)	**mm**	510 × 740 × 1010

Equipment

Suction hose	**m**	4
Metal suction tube, 2 x 0.5 m		■
Wet and dry floor tool	**mm**	400
Crevice nozzle		■
Cartridge filter		■
Drain hose		■
Bend		■
Cartridge filter		Paper
Sturdy bumper		■
Push handle		■
Protection class		II

■ **Included in delivery.**

NT 70/2, 1.667-269.0, 2017-01-18

ACCESSORIES FOR NT 70/2
1.667-269.0

KÄRCHER


1


2


3


4


5

		Order No.	Anzahl	Dummy	Dummy	Dummy	Price	Description	
Cartridge filter paper									
Cartridge filter, paper	1	6.907-038.0	1 piece(s)						■
Membrane filter / fabric filter									
Membrane filter / fabric filter	2	6.904-282.0	1 piece(s)						□
Paper filter (2 ply)									
Filter bags 5St. -NT 65/2 ECO	3	6.904-285.0	5 piece(s)						□
Plastic sacks for dust-free disposal									
Plastic sacks for dust-free disposal	4	6.900-698.0	10 piece(s)						□
Special filter bags, wet filter bags									
Special filter bags, wet filter bags	5	6.904-252.0	5 piece(s)						□
Coarse filter for wet pickup									
Foam filter	6	2.889-083.0	1 piece(s)						□

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 70/2
1.667-269.0

KÄRCHER


1, 7


4–6


8–9


10–11


12–13


14


15


16–17

		Order No.	Quantity	ID	Length	Width	Price	Description	
All-purpose nozzles (wet/dry)									
Floor tool DN40	1	6.906-554.0	1 piece(s)	ID 40		360 mm		All-purpose plastic nozzle (DN 40) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	■
	2	2.889-117.0	1 piece(s)	ID 40		400 mm			■
	3	6.907-510.0	1 piece(s)	ID 40		400 mm			■
Floor tool DN40-370	4	6.903-018.0	1 piece(s)	ID 40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN40	5	6.906-383.0	1 piece(s)	ID 40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN35	6	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Floor tool DN35	7	6.906-513.0	1 piece(s)	ID 35		360 mm		All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	□
Crevice nozzles									
Crevice nozzle DN40	8	6.903-033.0	1 piece(s)	ID 40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	■
Crevice nozzle DN35	9	6.900-385.0	1 piece(s)	ID 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	□
Crevice nozzle	10	6.900-922.0	1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	□
Crevice nozzle DN40	11	6.905-817.0	1 piece(s)	ID 40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	□
Suction tubes metal									
Suction tube	12	6.900-275.0	1 piece(s)	ID 40	0,5 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.	■
Suction tube DN35	13	6.900-514.0	1 piece(s)	ID 35	0,5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	□
Suction hoses complete (Clip-system)									
Suction hose	14	4.440-678.0	1 piece(s)	ID 40	4 m			4 m electrically non-conductive suction hose with bend, bayonet at vacuum end and C 40 clip connection at accessory end. Without module.	■
	15	4.440-784.0	1 piece(s)	ID 40	16 m			16 m suction hose (C-DN 40) with bayonet and straight adapter.	□
Bend stainless									
Bend, stainless steel ID 35	16	6.903-141.0	1 piece(s)	ID 35				Stainless steel and crooked, ID 35	□
Bend, stainless steel ID 40	17	6.902-079.0	1 piece(s)	ID 40				Stainless steel and crooked, ID 40	□

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 70/2
1.667-269.0

KÄRCHER


18, 20


19


21


22


23


24



27–28


29


30–31


32


33–34


35


36

		Order No.	Quantity	ID	Length	Width	Price	Description	
Plastic bend									
Plastic bend	18	5.031-718.0	1 piece(s)	ID 35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	☐
	19	5.031-939.0	1 piece(s)	ID 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	☐
	20	5.032-427.0	1 piece(s)	ID 40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	☐
Bend metal									
Bend, DN 35, metal	21	6.900-519.0	1 piece(s)	ID 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).	☐
Bend, DN 40, metal	22	6.900-276.0	1 piece(s)	ID 40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.).	☐
All-purpose brushes									
All-purpose brush	23	6.903-863.0	1 piece(s)	ID 35	120 mm			Natural bristles (ox hair), bristle element 120 x 45 mm.	☐
Car cleaning nozzles									
Car nozzle	24	6.900-952.0	1 piece(s)	ID 40		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	☐
Gangway nozzles									
Gangway nozzle	25	4.130-432.0	1 piece(s)	ID 40		644 mm		Vacuuming larger Areas in connection with NT 70/1; NT 70/2 or NT 70/3 versions only.	☐
Rubber tool									
Rubber nozzle, ID 40	26	4.763-057.0	1 piece(s)	40				Rubber.	☐
Rubber suction tools, nose 45°									
Rubber suction tools, nose 45°	27	6.902-104.0	1 piece(s)	ID 35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	☐
	28	6.902-105.0	1 piece(s)	ID 40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	☐
Radiator brushes									
Brush heating element	29	6.903-034.0	1 piece(s)	ID 35				Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0.	☐
Pipe dusting nozzles									
BRUSH	30	6.903-035.0	1 piece(s)	ID 35				Plastic, pipe diameter 100 mm	☐
	31	6.903-036.0	1 piece(s)	ID 35				Plastic, pipe diameter 200 mm	☐
Suction brushes									
Suction brush DN32	32	6.903-887.0	1 piece(s)	ID 32		70 mm		Rotatable suction brush (DN 32 plastic) with PA bristles, 70x45 mm. Only for BV and T vacuum cleaners.	☐
Suction tubes stainless steel									
Suction tube, ID 40	33	6.902-081.0	1 piece(s)	ID 40	0,5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	☐
Suction tube	34	6.906-531.0	1 piece(s)	ID 40	1 m			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	☐
Suction tube, DN 35	35	6.902-154.0	1 piece(s)	ID 35	0,5 m				☐
Repair kits									
Repair set, C 40	36	2.639-873.0	1 piece(s)	ID 40				Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	☐

■ Included in delivery. ☐ Available accessories.

ACCESSORIES FOR NT 70/2
1.667-269.0

KÄRCHER


37


39–42


43


44


45


46–47


48


49, 51–52


50


53


54–55


56


57


58

		Order No.	Quantity	ID	Length	Width	Price	Description	
Repair kit, DN 61	37	2.862-038.0	1 piece(s)	ID 61				Suction hose repair kit. Optional for all NT 65/2 and 72/2, NT 993 I, NT 802 I.	☐
Suction hoses (Clip-system)									
Suction hose (clip system), C 40, 10 m	38	6.906-279.0	1 piece(s)	40	10 m			10 m standard suction hose without bend and adapter. With bayonet at vacuum end and C 40 clip connection at accessory end.	☐
Suction hose	39	6.906-321.0	1 piece(s)	40	4 m			4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	☐
	40	6.906-546.0	1 piece(s)	40	4 m			Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	☐
Suction hose (Clip-system), C 40, 16 m	41	6.906-635.0	1 piece(s)	40	16 m			With bayonet and clip connection.	☐
Suction hose (clip system), C 40, 10 m, el.	42	6.906-877.0	1 piece(s)	40	10 m			Suction hose with bayonet coupling, electrically conductive.	☐
Suction hoses complete									
Suction hose, complete	43	4.440-264.0	1 piece(s)	ID 61	4 m			4-m standard suction hose with DN 61 bayonet connector at the device end and DN 61 tapered connector at the accessory end.	☐
	44	4.440-328.0	1 piece(s)	ID 61	3 m			Industrial hose, PVC/elastomer with steel spiral, smooth inside	☐
Suction hose, complete, ID 61, 10 m	45	4.440-467.0	1 piece(s)	ID 61	10 m			10-m standard suction hose with DN 61 bayonet connector at the device end and DN 61 tapered connector at the accessory end.	☐
Suction hose, complete, DN 61, 4 m, oil-resistant	46	4.440-613.0	1 piece(s)	ID 61	4 m			Oil-resistant.	☐
Suction hose, complete, DN 61, 10 m, oil-resistant	47	4.440-614.0	1 piece(s)	ID 61	10 m				☐
Suction hose complete, ID 61, 4 m, el.	48	4.440-616.0	1 piece(s)	ID 61	4 m			Electrically conductive.	☐
Suction hose, complete	49	4.440-263.0	1 piece(s)	ID 40	4 m			Electrically non-conductive 4.0m standard suction hose with bayonett at vacuum end and DN 40 cone at accessory end.	☐
	50	4.440-303.0	1 piece(s)	ID 40	4 m			Oil-resistant	☐
	51	4.440-463.0	1 piece(s)	ID 40	10 m			Electrically non-conductive 10.0m standard suction hose with bayonett at vacuum end and DN 40 cone at accessory end.	☐
Suction hose complete	52	4.440-466.0	1 piece(s)	ID 40	10 m			Electrically conductive, 10.0m, ID 40	☐
Suction hose, complete, DN 40, 10 m, oil-resistant	53	4.440-612.0	1 piece(s)	ID 40	10 m			Oil-resistant.	☐
Connecting sleeves									
Connecting sleeve, ID 27, el.	54	4.453-006.0	1 piece(s)	ID 27				For connecting 2 suction hoses, thread on both sides, electrically conducitve.	☐
Adapter, ID 32/35, with internal thread	55	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	☐
Adapter, ID 40 with internal thread	56	6.900-286.0	1 piece(s)	ID 40				Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.	☐
Connecting sleeve, ID 61, with female thread	57	6.902-078.0	1 piece(s)	ID 61				For connecting 2 suction hoses, thread on both sides	☐
Extension hoses (Clip-system)									
Extension hose, C 40	58	6.906-344.0	1 piece(s)	ID 40	2,5 m			2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system.	☐

■ Included in delivery. ☐ Available accessories.

ACCESSORIES FOR NT 70/2
1.667-269.0

KÄRCHER


59


60



61


62


63


64


65


66


67


68


69


70


71


72

		Order No.	Quantity	ID	Length	Width	Price	Description	
Sonstiges									
Pre-separator	59	3.864-010.0	1 piece(s)						☐
Drum separator	60	3.864-012.0	1 piece(s)						☐
Lid for separator	61	4.063-132.0	1 piece(s)						☐
Adapter ring for 200 l drum	62	6.902-051.0	1 piece(s)						☐
CS 40 Me	63	2.863-026.0	1 piece(s)						☐
Y-adapter kit									
Y-adapter kit	64	2.637-217.0	1 piece(s)	ID 35				Plastic distributor - suitable for NT vacuum cleaners.	☐
Connecting sleeve C-DN (clip on taper), EL (electroconductive)									
C-DN 35 adapter	65	5.407-112.0	1 piece(s)	ID 35				C 35 hose connector for DN 35 accessory, electrically conductive.	☐
Adapter (tube -> nozzle)									
Adapter	66	5.453-019.0	1 piece(s)	ID 40				From DN 40 to DN 61: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.	☐
Reducing sleeves									
Reducer	67	5.407-108.0	1 piece(s)	ID 40				Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.	☐
Sleeve C40 / C35	68	5.407-113.0	1 piece(s)	ID 40				Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.	☐
Reducer (tube -> nozzle)									
Reducer	69	6.902-017.0	1 piece(s)	ID 40				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	☐
Reducer from ID 35 to 32	70	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	☐
Target group specific vacuum cleaner accessory sets									
Professional cleaning kit ID 40	71	2.637-353.0		ID 40				Individual parts: Suction hose 4 m (4.440-263.0), bend, metal (6.900-276.0), suction tube 2 x 0.5 m, metal (6.900-275.0), grout nozzle (6.903-033.0), floor nozzle with rollers (6.903-051.0).	☐
Car cleaning kit	72	2.862-166.0		ID 35				Target group-specific accessory nozzles in DN 35 for interior cleaning of vehicles, upholstery & fixtures.	☐
Chip cleaning kit	73	2.640-760.0		ID 61				Target group-specific robust connection set in DN 61 for cleaning in conjunction with oil-resistant suction hose and rubber nozzle.	☐

■ Included in delivery. ☐ Available accessories.

ACCESSORIES FOR NT 70/2
1.667-269.0

KÄRCHER



1

		Order No.	Length	Colour	Quantity		Price	Description	
Miscellaneous									
Extension cable	1	6.647-022.0	20 m		1 piece(s)			Extension cable, 20 m, 3x1.5 mm². With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	☐

■ Included in delivery. ☐ Available accessories.

ACCESSORIES FOR NT 70/2
1.667-269.0

KÄRCHER


1


2


3

		Order No.	Quantity	ID	Length / width		Price	Description	
Other nozzles									
45º rubber suction nozzle	1	6.902-106.0	1 piece(s)	ID 61	220 mm			Angled 45°, for suction of machines, oil-resistant	☐
Metal scratcher and scraper nozzle	2	6.903-360.0	1 piece(s)	ID 61	104 mm			Scratcher and scraper tool DN 61, sheet metal, 117 mm	☐
Aluminium surface nozzle	3	4.130-415.0	1 piece(s)	ID 61	200 mm			Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper	☐

■ Included in delivery. ☐ Available accessories.

ACCESSORIES FOR NT 70/2
1.667-269.0

KÄRCHER

		Order No.					Price	Description	
Suction hoses									
	1	2.639-905.0						Repair kit for all C-40 and ID 40 hoses	☐

■ Included in delivery. ☐ Available accessories.